

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	public adj key and (broadcast multicast) and authenticat\$3 and (loopback loop?back)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:08
L2	6	public adj key and (broadcast multicast) and authenticat\$3 and (loopback loop?back) near2 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:09
L3	11587	test near5 itself	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:10
L4	180	test near5 itself and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:10
L5	51	4 and network near2 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:13
L6	53	loopback same network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:13
L7	10	loopback same network adj address and (authentication login)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 11:12
L8	1	broadcast near9 network adj address and (IPC inter adj process adj communication) near5 CPU	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 11:13

EAST Search History

L9	16	broadcast near9 network adj address and (IPC inter adj process adj communication)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 11:13
S1	2059	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:29
S2	191	709/245.ccls. and replicat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:29
S3	173	S2 and server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:30
S4	119889	S2 and server backup	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:30
S5	27	S2 and server and backup	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:34
S6	4303017	redundan\$4 or secondary or backup or redundancy or copy or recurr\$4 or back adj up or supplementary or additional	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:36
S7	1610	S6 and S1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:36

EAST Search History

S8	616	S7 and search	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:37
S9	244	S7 and search and procedure	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:39
S10	432	network adj address near10 discover\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:39
S11	296	network adj address near5 discover\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 16:39
S12	198	network adj address near3 discover\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:27
S13	7600	selecting near5 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:28
S14	843	selecting near5 server and replicat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:28
S15	329	selecting near5 server and replicat\$4 near2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:28

EAST Search History

S16	316	S15 and S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:29
S17	179	S16 and key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/29 17:29
S18	8	("5940289" "6101495" "6161104" "6272492" "6286047" "6339423" "6609159").PN. OR ("6898633").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:39
S20	17924	microsoft.as.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:40
S21	1616	microsoft.as. and replicat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:40
S22	1451	microsoft.as. and replicat\$4 and server	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:40
S23	274	microsoft.as. and replicat\$4 and server and (back adj up backup)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:43
S24	244	microsoft.as. and replicat\$4 and server and (back adj up backup) and select\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/29 17:44
S25	28	microsoft.as. and replicat\$4 adj2 server and server and (back adj up backup) and select\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:09
S26	145	microsoft.as. and replicat\$4 adj2 server	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:09
S27	72	microsoft.as. and replicat\$4 adj1 server	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:20
S28	142	network adj address near5 server adj computer	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:20
S29	85	network adj address near5 server adj computer and (search\$3 or discover\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:25

EAST Search History

S30	1	"20050071507"	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:31
S31	31	(backup or back adj up) adj (discover\$3 or search or find\$3) and address.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:38
S32	33	(backup or back adj up) adj (discover\$3 or search or find\$3 or look adj up) and address	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:38
S33	3348	(backup or back adj up) same (discover\$3 or search or find\$3 or look adj up) and address	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:42
S34	44178	"714"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:45
S35	678	"714"/2.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:52
S36	223	"714"/2.ccls. and (backup or back adj1 up)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:46
S37	104	"714"/2.ccls. and (backup or back adj1 up) and (key or ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:47
S38	0	"714"/2.ccls. and (backup or back adj1 up) and (key or ID) and puclic	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:47
S39	26	"714"/2.ccls. and (backup or back adj1 up) and (key or ID) and (broadcast or multicast)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:47
S40	1868	"714"/4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:52
S41	855	"714"/4.ccls. and redundan\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:52
S42	443	"714"/4.ccls. and redundan\$3 and (search\$3 or discover\$3 or find\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 09:53
S43	133	"714"/4.ccls. and redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or mulitcast)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 10:00
S44	15122	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or mulitcast)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 10:00

EAST Search History

S45	10518	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 10:01
S46	1205	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 10:01
S47	688	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key and (backup or back adj up)	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/30 10:02
S48	688	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key and (backup or back adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:05
S49	635	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key and (backup or back adj up) and primary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:06
S50	617	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key and (backup or back adj up) and primary and list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:06
S51	193	redundan\$3 and (search\$3 or discover\$3 or find\$3) and (Broadcast or multicast) and (authentication or pass) and public adj key and (backup or back adj up) and primary and list and network adj address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:20
S52	2	"6360276".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:30

EAST Search History

S53	1	replication adj server adj selection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31
S54	335	replication adj server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:31
S56	1986567	replication adj server ad selection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S57	153	replication adj server and selection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S58	127	replication adj server and selection and address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S59	81	replication adj server and selection and address and (backup or back adj up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/30 10:32
S62	1	10/743756	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:42

EAST Search History

S63	0	S62 and (software signal wave application)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:43
S64	0	S62 and (software signal\$1 wave\$2 application\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:54
S65	1999	(find\$3 discover\$3 search\$3) near8 server near2 address\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:28
S66	356276	(backup redundan\$3 fault adj tolerant)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:56
S67	386	S66 and S65	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:57
S68	2147	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:10
S69	2013	(find\$3 discover\$3 search\$3) near8 server near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:57
S70	390	S69 and S66	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:57

EAST Search History

S71	15	S70 and S68	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 10:57
S72	727	S68 and addressing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:10
S73	59	S68 and addressing near4 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:14
S74	1	S62 and medium	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:22
S75	238	S70 and key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:28
S76	1774	(find\$3 discover\$3 search\$3) near8 DNS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:28
S77	117	S76 and S68	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:29
S78	314	FINDING same server near3 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 11:44

EAST Search History

S79	95	FINDING near6 server near3 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:39
S80	2680	server near2 address same (search\$3 resolv\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:39
S81	13530	(server network IP) near2 address same (search\$3 resolv\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:39
S82	558	S81 and 709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:40
S83	322	S82 and (Key ID)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:41
S84	105	S82 and (Key ID) and CPU	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:41
S85	12	S82 and (Key ID) and CPU and loop adj back	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:52
S86	29	find near5 network adj address near5 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 15:54

EAST Search History

S87	1566	(find\$3 obtain\$3) near5 network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:00
S88	35158	(public private secure) adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:01
S89	186	S87 and S88	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:01
S90	2147	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:01
S91	60145	"709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:01
S92	64	S89 and S91	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:02
S93	78	S89 and (alternate backup redundan\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:12
S94	42	S93 not S92	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:13

EAST Search History

S95	122	S89 not S92	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:13
S97	80	S95 not S93	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:15
S98	1929	network adj address near5 (discover\$3 obtain\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:15
S10 0	1304	S98 and configuration	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:16
S10 1	76	S100 and (loop adj back loopback)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:23
S10 2	2	"6587455".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/26 16:24
S10 3	15	(US-20030014503-\$).did. or (US-6272492-\$ or US-6826610-\$ or US-6574617-\$ or US-7200678-\$ or US-6260021-\$ or US-6898633-\$ or US-6292905-\$ or US-6128657-\$ or US-6381650-\$ or US-6026445-\$ or US-5687320-\$ or US-6795434-\$ or US-6263060-\$).did. or (US-6360276-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/26 16:44
S10 4	3	S103 and (public private) adj key	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/26 16:57
S10 5	4985	(apple).as.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/26 16:57

EAST Search History

S10 6	1233	S105 and selection	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/26 16:57
S10 7	1	S105 and selection near4 replication	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/26 16:57
S10 8	44	password adj server adj computer	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:33
S10 9	2	"7020700".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:35
S11 0	151	379/22.01.ccls.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:35
S11 1	2	S110 and loopback adj address	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:36
S11 2	217	loopback adj address	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:35
S11 3	7938	"same" adj (CPU processor)	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:36
S11 4	9	S113 and S112	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:41
S11 5	576	(loop adj back loopback) near2 address\$2	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:41
S11 6	170	S115 and network adj address	US-PGPUB; USPAT; DERWENT	OR	ON	2007/12/27 10:41
S11 7	1	("2003/0112765").URPN.	USPAT	OR	ON	2007/12/27 14:27
S11 8	7	IPC and (loopback loop near1 back) near5 address	USPAT	OR	ON	2007/12/27 14:28
S11 9	171	(find\$3 search\$3) near5 (server near2 (computer node)) same address\$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:01

EAST Search History

S12 0	7	S119 and (backup secondary alternate) near4 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:58
S12 2	164	S119 not S120	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:07
S12 3	396	search\$3 near4 (server near2 list\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:08
S12 4	1	("2002/0083208").URPN.	USPAT	OR	ON	2008/01/02 10:15
S12 5	47	locating near4 network adj address	USPAT	OR	ON	2008/01/02 10:20
S12 6	0	plural adj technique\$2 near5 address near3 server	USPAT	OR	ON	2008/01/02 10:21
S12 7	0	plural adj technique\$2 near5 address	USPAT	OR	ON	2008/01/02 10:21
S12 8	3	plural near2 technique\$2 near5 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:22
S12 9	6369	(searching finding) near5 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:23
S13 0	541	(searching finding) near5 (management dns password network) near1 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:23
S13 1	118	S130 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:37

EAST Search History

S13 2	35	primary same backup same network adj address and (search\$3 find\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:33
S13 3	31	find\$3 near3 network adj address near4 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:43
S13 4	0	(connect adj2 server) and alternate near4 (method procedure way) near6 network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:45
S13 5	471	(connect adj2 server) and alternate near4 (method procedure way)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:45
S13 6	58655	server adj computer	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:45
S13 7	206	S136 and S135	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:46
S13 8	4729	password near2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:46
S13 9	23	S138 and S137	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:52

EAST Search History

S14 0	235	find near4 network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:52
S14 1	0	(find near4 network adj address).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:52
S14 2	2426	(network adj address).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:53
S14 3	40	(search\$3 near6 network adj address).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:54
S14 4	6	(find\$3 near6 network adj address).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 10:59
S14 5	28	redundan\$3 near5 (network server) adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:04
S14 6	52	list near2 dns adj server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:44
S14 7	0	(find\$3 search\$3) near9 list near2 dns adj server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 11:05

EAST Search History

S15 0	0	WO-2000072525-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:39
S15 1	0	WO-072525-\$.did.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:39
S15 2	17	list near5 redundan\$3 near2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:57
S15 3	950	replicat\$3 adj server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:58
S15 4	354	S153 and authenticat\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:01
S15 5	14	S154 and (backup secondary alternate) near4 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 12:58
S15 6	0	S155 not S154	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:01
S15 7	340	S154 not S155	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 13:48

EAST Search History

S158	340	S154 not S155 and (replicate\$3 duplicate\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 14:06
S159	196	S158 and primary	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 14:06
S160	354	"127.0.0.1"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:37
S161	1076533	"127.0.0.1" and network address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:38
S162	105	"127.0.0.1" and network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:42
S163	0	S162 and 709//\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:38
S165	45	S162 and password	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:38
S166	72	S162 and (password authenti\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:38

EAST Search History

S16 7	8	S166 and (Ping)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:39
S16 8	52	"127.0.0.1" and network adj address and CPU	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:43
S16 9	1	"127.0.0.1" same CPU and network adj address and CPU	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:43
S17 0	1	"127.0.0.1" same CPU and network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:43
S17 1	6	"127.0.0.1" same node and network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:45
S17 2	272	(loopback loop-back) adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:46
S17 3	274	(loopback loop-back loop adj around) adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:46
S17 4	75	S173 and (public adj key authentic\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:46

EAST Search History

S17 5	61	ipconfig	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 16:55
S17 6	14	test near8 localhost	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:09
S17 7	1	test near8 localhost and network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:19
S17 8	8821	"same" near2 CPU	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:20
S17 9	13298	"same" near1 (CPU processor)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:22
S18 0	7	S179 and S174	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:20
S18 1	453	S179 and network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:23
S18 2	206	S181 and (authenticat\$3 login password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:59

EAST Search History

S18 3	122	S182 and (broadcast multicast)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:25
S18 4	5	S182 and (broadcast multicast) same (network adj address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:30
S18 5	5	broadcast and authentication and (loopback loop-back) near2 address and public adj key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:45
S18 6	26	broadcast and authentication and (loopback loop-back) near2 address and key	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:46
S18 7	21	S186 not S185	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:57
S18 9	79	broadcast near5 server adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 17:58
S19 0	30	S189 and (authentication login password)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:02
S19 1	359	public adj key and (ARP RARP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:02

EAST Search History

S19 2	27	public adj key and (ARP RARP) and (loop adj back loop?back)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:09
S19 3	95	PKI and (ARP RARP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:09
S19 4	70	S193 and broadcast	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:09
S19 5	513	parallel near2 searching	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:37
S19 6	0	parallel near2 searching and S193	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:37
S19 7	73	parallel and S193	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:38
S19 8	49	parallel near5 search and S193	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:43
S19 9	371	find near5 server near2 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:44

EAST Search History

S20 0	1	S199 and S191	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:45
S20 1	0	S199 and S193	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 18:45
S20 2	609294	password server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 19:43
S20 3	1076	password adj server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/02 19:44
S20 4	1	password adj server and broadcast near5 network adj address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/03 10:05